

Daily Operation Log Report

ABC INDUSTRIES LTD.

Plant Capacity : 500KLD

From :17 Jun 2026 11:08

To :19 Jun 2026 11:08

Plant Operational KPIs

Total Inlet Flow

3,955.15
m³/h

Total Outlet Flow

6,279.16
m³/h


Average AER DO

2.05
mg/L


Average Treated
Water PH

7.48
PH

Inlet Flow Trend



AER DO Trend



Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
17 Jun 2026 15:39						
17 Jun 2026 15:49	17.01 m³/h	22.39 m³/h	2.14 mg/L	8.04 pH	0.35 NTU	0.80 mg/L
17 Jun 2026 15:59	16.90 m³/h	22.94 m³/h	1.91 mg/L	7.95 pH	0.36 NTU	1.00 mg/L
17 Jun 2026 16:09	17.20 m³/h	22.29 m³/h	2.44 mg/L	8.13 pH	0.46 NTU	1.14 mg/L
17 Jun 2026 16:19	17.77 m³/h	22.54 m³/h	2.79 mg/L	8.20 pH	1.22 NTU	1.07 mg/L
17 Jun 2026 16:29	17.60 m³/h	21.88 m³/h	2.87 mg/L	7.85 pH	1.66 NTU	1.19 mg/L
17 Jun 2026 16:39	17.46 m³/h	21.61 m³/h	3.53 mg/L	8.06 pH	1.67 NTU	1.55 mg/L
17 Jun 2026 16:49	17.87 m³/h	20.93 m³/h	3.54 mg/L	8.25 pH	1.87 NTU	1.30 mg/L
17 Jun 2026 16:59	16.96 m³/h	20.17 m³/h	3.40 mg/L	8.27 pH	2.26 NTU	1.62 mg/L
17 Jun 2026 17:09	16.48 m³/h	19.96 m³/h	2.83 mg/L	7.99 pH	2.42 NTU	1.76 mg/L
17 Jun 2026 17:19	15.65 m³/h	20.71 m³/h	2.38 mg/L	8.09 pH	1.48 NTU	1.48 mg/L
17 Jun 2026 17:29	15.84 m³/h	20.76 m³/h	2.97 mg/L	8.48 pH	2.10 NTU	0.98 mg/L
17 Jun 2026 17:39	15.21 m³/h	20.64 m³/h	3.34 mg/L	8.31 pH	2.51 NTU	0.80 mg/L
17 Jun 2026 17:49	15.26 m³/h	21.07 m³/h	3.13 mg/L	8.25 pH	2.26 NTU	1.17 mg/L
17 Jun 2026 17:59	15.39 m³/h	21.13 m³/h	3.17 mg/L	8.10 pH	1.94 NTU	1.32 mg/L
17 Jun 2026 18:09	15.19 m³/h	21.31 m³/h	3.37 mg/L	7.19 pH	1.54 NTU	1.47 mg/L
17 Jun 2026 18:19	14.81 m³/h	20.98 m³/h	3.69 mg/L	7.82 pH	1.51 NTU	1.54 mg/L
17 Jun 2026 18:29	14.78 m³/h	20.86 m³/h	3.47 mg/L	7.99 pH	0.23 NTU	0.91 mg/L
17 Jun 2026 18:39	14.90 m³/h	20.57 m³/h	3.89 mg/L	8.04 pH	0.86 NTU	1.04 mg/L
17 Jun 2026 18:49	14.92 m³/h	20.21 m³/h	4.00 mg/L	8.36 pH	1.41 NTU	0.80 mg/L
17 Jun 2026 18:59	15.02 m³/h	20.08 m³/h	3.98 mg/L	8.11 pH	1.57 NTU	1.31 mg/L
17 Jun 2026 19:09	14.74 m³/h	20.14 m³/h	3.67 mg/L	7.80 pH	1.69 NTU	0.88 mg/L
17 Jun 2026 19:19	14.60 m³/h	20.27 m³/h	3.81 mg/L	7.00 pH	2.50 NTU	0.95 mg/L
17 Jun 2026 19:29	14.78 m³/h	20.41 m³/h	4.56 mg/L	6.97 pH	1.86 NTU	1.40 mg/L
17 Jun 2026 19:39	14.33 m³/h	20.35 m³/h	4.38 mg/L	7.41 pH	1.83 NTU	1.49 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
17 Jun 2026 19:49	14.38 m³/h	19.78 m³/h	5.00 mg/L	7.71 pH	1.72 NTU	1.65 mg/L
17 Jun 2026 19:59	14.13 m³/h	20.05 m³/h	5.07 mg/L	8.35 pH	1.67 NTU	1.80 mg/L
17 Jun 2026 20:09	13.99 m³/h	20.34 m³/h	5.05 mg/L	7.62 pH	2.55 NTU	1.87 mg/L
17 Jun 2026 20:19	14.50 m³/h	20.32 m³/h	4.63 mg/L	7.05 pH	2.84 NTU	2 mg/L
17 Jun 2026 20:29	14.27 m³/h	19.85 m³/h	4.71 mg/L	7.53 pH	2.83 NTU	1.45 mg/L
17 Jun 2026 20:39	15.01 m³/h	19.47 m³/h	4.77 mg/L	7.37 pH	3.02 NTU	1.82 mg/L
17 Jun 2026 20:49	15.50 m³/h	19.41 m³/h	4.85 mg/L	7.31 pH	2.59 NTU	1.97 mg/L
17 Jun 2026 20:59	15.42 m³/h	19.42 m³/h	4.97 mg/L	7.26 pH	2.11 NTU	1.44 mg/L
17 Jun 2026 21:09	15.62 m³/h	19.71 m³/h	5.64 mg/L	7.01 pH	2.19 NTU	1.57 mg/L
17 Jun 2026 21:19	15.58 m³/h	19.77 m³/h	5.47 mg/L	6.80 pH	2.16 NTU	1.11 mg/L
17 Jun 2026 21:29	15.35 m³/h	20.04 m³/h	5.19 mg/L	6.82 pH	2.63 NTU	0.56 mg/L
17 Jun 2026 21:40	15.52 m³/h	20.57 m³/h	5.79 mg/L	6.75 pH	2.53 NTU	0.84 mg/L
17 Jun 2026 21:50	15.56 m³/h	21.23 m³/h	5.36 mg/L	6.5 pH	2.79 NTU	0.46 mg/L
17 Jun 2026 22:00	15.63 m³/h	20.81 m³/h	5.05 mg/L	6.57 pH	2.64 NTU	0.62 mg/L
17 Jun 2026 22:10	15.70 m³/h	21.07 m³/h	5.20 mg/L	6.74 pH	3.08 NTU	0.61 mg/L
17 Jun 2026 22:20	15.15 m³/h	21.29 m³/h	4.96 mg/L	6.99 pH	3.20 NTU	0.21 mg/L
17 Jun 2026 22:30	14.85 m³/h	21.14 m³/h	5.08 mg/L	7.08 pH	3.81 NTU	0.08 mg/L
17 Jun 2026 22:40	14.72 m³/h	20.78 m³/h	5.05 mg/L	7.05 pH	3.41 NTU	0.43 mg/L
17 Jun 2026 22:50	15.54 m³/h	21.39 m³/h	5.09 mg/L	6.55 pH	3.76 NTU	0.48 mg/L
17 Jun 2026 23:00	15.64 m³/h	21.74 m³/h	4.43 mg/L	6.5 pH	4.27 NTU	0.79 mg/L
17 Jun 2026 23:10	16.02 m³/h	21.80 m³/h	4.20 mg/L	6.75 pH	3.63 NTU	0.91 mg/L
17 Jun 2026 23:20	16.22 m³/h	21.37 m³/h	3.56 mg/L	7.05 pH	3.19 NTU	1.36 mg/L
17 Jun 2026 23:30	15.66 m³/h	22.20 m³/h	2.41 mg/L	7.06 pH	2.77 NTU	1.51 mg/L
17 Jun 2026 23:40	15.07 m³/h	21.75 m³/h	2.27 mg/L	6.5 pH	2.60 NTU	0.95 mg/L
17 Jun 2026 23:50	14.97 m³/h	21.68 m³/h	2.02 mg/L	6.73 pH	2.31 NTU	1.08 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 00:00	14.97 m³/h	21.65 m³/h	1.85 mg/L	6.60 pH	2.01 NTU	1.10 mg/L
18 Jun 2026 00:10	14.80 m³/h	21.30 m³/h	1.56 mg/L	6.93 pH	1.64 NTU	1.56 mg/L
18 Jun 2026 00:20	14.40 m³/h	21.30 m³/h	2.03 mg/L	6.55 pH	0.81 NTU	1.62 mg/L
18 Jun 2026 00:30	13.81 m³/h	21.37 m³/h	1.71 mg/L	6.69 pH	1.39 NTU	1.62 mg/L
18 Jun 2026 00:40	14.50 m³/h	22.54 m³/h	1.92 mg/L	6.5 pH	0.83 NTU	1.35 mg/L
18 Jun 2026 00:50	13.50 m³/h	22.38 m³/h	2.82 mg/L	6.59 pH	0.94 NTU	1.76 mg/L
18 Jun 2026 01:00	13.57 m³/h	21.78 m³/h	2.99 mg/L	6.56 pH	1.88 NTU	1.98 mg/L
18 Jun 2026 01:10	14.17 m³/h	21.56 m³/h	3.25 mg/L	7.05 pH	1.09 NTU	1.74 mg/L
18 Jun 2026 01:20	14.47 m³/h	21.42 m³/h	3.20 mg/L	7.11 pH	1.01 NTU	1.60 mg/L
18 Jun 2026 01:30	14.60 m³/h	22.49 m³/h	3.49 mg/L	6.56 pH	0.54 NTU	1.54 mg/L
18 Jun 2026 01:40	15.25 m³/h	22.85 m³/h	3.86 mg/L	6.56 pH	0.70 NTU	1.42 mg/L
18 Jun 2026 01:50	15.86 m³/h	22.67 m³/h	3.56 mg/L	6.61 pH	0.74 NTU	1.23 mg/L
18 Jun 2026 02:00	15.39 m³/h	23.32 m³/h	3.63 mg/L	6.5 pH	0.35 NTU	1.41 mg/L
18 Jun 2026 02:10	15.03 m³/h	23.24 m³/h	3.57 mg/L	6.5 pH	0.1 NTU	1.31 mg/L
18 Jun 2026 02:20	15.36 m³/h	22.88 m³/h	4.18 mg/L	6.59 pH	0.70 NTU	1.80 mg/L
18 Jun 2026 02:30	15.46 m³/h	22.54 m³/h	3.69 mg/L	6.5 pH	0.63 NTU	1.87 mg/L
18 Jun 2026 02:40	15.24 m³/h	22.39 m³/h	3.05 mg/L	6.60 pH	0.58 NTU	2 mg/L
18 Jun 2026 02:50	15.57 m³/h	22.06 m³/h	2.94 mg/L	7.11 pH	0.84 NTU	1.64 mg/L
18 Jun 2026 03:00	14.90 m³/h	21.61 m³/h	3.64 mg/L	7.22 pH	0.76 NTU	1.87 mg/L
18 Jun 2026 03:10	14.96 m³/h	21.64 m³/h	2.91 mg/L	7.58 pH	0.71 NTU	1.65 mg/L
18 Jun 2026 03:20	14.19 m³/h	21.58 m³/h	2.57 mg/L	7.74 pH	0.16 NTU	2 mg/L
18 Jun 2026 03:30	13.90 m³/h	22.18 m³/h	3.02 mg/L	7.52 pH	0.27 NTU	1.91 mg/L
18 Jun 2026 03:40	14.18 m³/h	22.92 m³/h	3.34 mg/L	7.61 pH	0.98 NTU	1.07 mg/L
18 Jun 2026 03:50	14.58 m³/h	23.72 m³/h	3.12 mg/L	7.15 pH	0.48 NTU	1.05 mg/L
18 Jun 2026 04:00	14.97 m³/h	24.38 m³/h	3.18 mg/L	8.03 pH	0.40 NTU	1.33 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 04:10	14.33 m³/h	23.94 m³/h	2.88 mg/L	8.12 pH	0.22 NTU	1.41 mg/L
18 Jun 2026 04:20	14.25 m³/h	23.73 m³/h	3.20 mg/L	8.5 pH	0.80 NTU	1.86 mg/L
18 Jun 2026 04:30	14.09 m³/h	23.75 m³/h	3.51 mg/L	8.31 pH	0.1 NTU	1.80 mg/L
18 Jun 2026 04:40	13.66 m³/h	24.12 m³/h	2.91 mg/L	7.63 pH	0.42 NTU	1.71 mg/L
18 Jun 2026 04:50	14.26 m³/h	24.61 m³/h	2.51 mg/L	7.26 pH	0.39 NTU	0.69 mg/L
18 Jun 2026 05:00	14.91 m³/h	24.75 m³/h	2.32 mg/L	7.43 pH	0.38 NTU	0.40 mg/L
18 Jun 2026 05:10	14.89 m³/h	24.50 m³/h	2.38 mg/L	7.78 pH	0.40 NTU	0.78 mg/L
18 Jun 2026 05:20	14.57 m³/h	24.52 m³/h	1.88 mg/L	7.47 pH	0.25 NTU	0.81 mg/L
18 Jun 2026 05:30	14.38 m³/h	24.71 m³/h	1.69 mg/L	7.13 pH	0.92 NTU	0.56 mg/L
18 Jun 2026 05:40	14.88 m³/h	24.55 m³/h	1.40 mg/L	7.05 pH	1.40 NTU	0.18 mg/L
18 Jun 2026 05:50	15.20 m³/h	24.66 m³/h	1.28 mg/L	6.64 pH	1.53 NTU	0.02 mg/L
18 Jun 2026 06:00	14.47 m³/h	24.42 m³/h	0.91 mg/L	6.81 pH	1.93 NTU	0.03 mg/L
18 Jun 2026 06:10	14.26 m³/h	23.93 m³/h	1.56 mg/L	6.63 pH	2.63 NTU	0.10 mg/L
18 Jun 2026 06:20	14.35 m³/h	23.62 m³/h	1.68 mg/L	6.5 pH	2.52 NTU	0.21 mg/L
18 Jun 2026 06:30	14.63 m³/h	23.99 m³/h	2.06 mg/L	6.85 pH	2.63 NTU	0.55 mg/L
18 Jun 2026 06:40	14.25 m³/h	23.86 m³/h	2.79 mg/L	6.82 pH	2.45 NTU	0.89 mg/L
18 Jun 2026 06:50	13.76 m³/h	23.45 m³/h	2.79 mg/L	6.98 pH	2.47 NTU	0.54 mg/L
18 Jun 2026 07:00	13.78 m³/h	23.42 m³/h	2.72 mg/L	6.5 pH	2.36 NTU	0.83 mg/L
18 Jun 2026 07:10	13.56 m³/h	23.35 m³/h	2.15 mg/L	6.81 pH	2.28 NTU	1.37 mg/L
18 Jun 2026 07:20	13.91 m³/h	23.38 m³/h	2.37 mg/L	7.08 pH	2.24 NTU	1.56 mg/L
18 Jun 2026 07:30	13.55 m³/h	23.35 m³/h	2.89 mg/L	6.93 pH	2.94 NTU	1.70 mg/L
18 Jun 2026 07:40	13.71 m³/h	23.02 m³/h	2.72 mg/L	6.52 pH	2.24 NTU	1.69 mg/L
18 Jun 2026 07:50	13.80 m³/h	22.97 m³/h	2.88 mg/L	7.45 pH	1.70 NTU	1.72 mg/L
18 Jun 2026 08:00	13.86 m³/h	23.38 m³/h	3.21 mg/L	7.32 pH	1.85 NTU	1.50 mg/L
18 Jun 2026 08:10	13.91 m³/h	23.42 m³/h	3.57 mg/L	7.69 pH	2.22 NTU	1.28 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 08:20	14.15 m³/h	22.41 m³/h	4.22 mg/L	8.06 pH	1.72 NTU	1.19 mg/L
18 Jun 2026 08:30	13.49 m³/h	22.86 m³/h	4.00 mg/L	8.36 pH	1.53 NTU	1.32 mg/L
18 Jun 2026 08:40	13.97 m³/h	23.27 m³/h	4.06 mg/L	7.74 pH	0.94 NTU	1.26 mg/L
18 Jun 2026 08:50	13.80 m³/h	23.42 m³/h	3.47 mg/L	7.44 pH	0.66 NTU	1.78 mg/L
18 Jun 2026 09:00	13.58 m³/h	22.99 m³/h	3.73 mg/L	7.37 pH	0.74 NTU	1.91 mg/L
18 Jun 2026 09:10	13.60 m³/h	22.71 m³/h	3.38 mg/L	7.39 pH	0.20 NTU	1.94 mg/L
18 Jun 2026 09:20	13.42 m³/h	22.72 m³/h	3.87 mg/L	6.96 pH	0.13 NTU	1.62 mg/L
18 Jun 2026 09:30	13.31 m³/h	22.79 m³/h	3.95 mg/L	6.93 pH	0.46 NTU	1.38 mg/L
18 Jun 2026 09:40	12.46 m³/h	23.14 m³/h	3.81 mg/L	6.99 pH	0.87 NTU	1.57 mg/L
18 Jun 2026 09:50	12.80 m³/h	22.86 m³/h	3.91 mg/L	6.85 pH	0.27 NTU	1.30 mg/L
18 Jun 2026 10:00	12.31 m³/h	22.18 m³/h	3.63 mg/L	7.07 pH	0.56 NTU	1.61 mg/L
18 Jun 2026 10:10	11.68 m³/h	22.25 m³/h	3.57 mg/L	7.97 pH	0.51 NTU	1.39 mg/L
18 Jun 2026 10:20	11.22 m³/h	22.09 m³/h	3.74 mg/L	8.49 pH	0.18 NTU	1.35 mg/L
18 Jun 2026 10:30	11.88 m³/h	22.24 m³/h	3.79 mg/L	8.47 pH	0.13 NTU	1.44 mg/L
18 Jun 2026 10:40	11.43 m³/h	21.98 m³/h	3.28 mg/L	8.5 pH	0.1 NTU	1.53 mg/L
18 Jun 2026 10:50	11.75 m³/h	23.05 m³/h	2.94 mg/L	8.46 pH	0.54 NTU	1.58 mg/L
18 Jun 2026 11:00	11.60 m³/h	22.73 m³/h	2.96 mg/L	8.41 pH	0.31 NTU	1.87 mg/L
18 Jun 2026 11:10	11.23 m³/h	22.62 m³/h	3.05 mg/L	8.15 pH	0.1 NTU	1.98 mg/L
18 Jun 2026 11:20	11.49 m³/h	22.13 m³/h	3.41 mg/L	8.23 pH	0.27 NTU	1.96 mg/L
18 Jun 2026 11:30	11.69 m³/h	22.33 m³/h	3.00 mg/L	8.15 pH	1.54 NTU	1.64 mg/L
18 Jun 2026 11:40	12.22 m³/h	21.41 m³/h	3.14 mg/L	8.15 pH	1.66 NTU	1.96 mg/L
18 Jun 2026 11:50	12.02 m³/h	21.67 m³/h	2.89 mg/L	8.00 pH	1.97 NTU	1.75 mg/L
18 Jun 2026 12:00	11.98 m³/h	22.36 m³/h	2.52 mg/L	8.24 pH	2.36 NTU	1.53 mg/L
18 Jun 2026 12:10	11.93 m³/h	21.64 m³/h	2.67 mg/L	8.5 pH	2.52 NTU	1.86 mg/L
18 Jun 2026 12:20	12.86 m³/h	21.92 m³/h	2.35 mg/L	8.30 pH	2.74 NTU	2 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 12:30	12.42 m³/h	21.69 m³/h	1.48 mg/L	8.42 pH	3.75 NTU	1.29 mg/L
18 Jun 2026 12:40	12.89 m³/h	21.87 m³/h	1.02 mg/L	8.47 pH	3.55 NTU	1.60 mg/L
18 Jun 2026 12:50	12.09 m³/h	21.85 m³/h	1.64 mg/L	8.26 pH	3.90 NTU	1.74 mg/L
18 Jun 2026 13:00	11.52 m³/h	22.49 m³/h	1.74 mg/L	8.24 pH	3.43 NTU	1.79 mg/L
18 Jun 2026 13:10	11.51 m³/h	22.50 m³/h	1.89 mg/L	8.5 pH	3.98 NTU	1.85 mg/L
18 Jun 2026 13:20	11.04 m³/h	22.54 m³/h	2.20 mg/L	8.5 pH	4.33 NTU	1.87 mg/L
18 Jun 2026 13:30	11.43 m³/h	22.30 m³/h	2.34 mg/L	8.20 pH	3.81 NTU	1.90 mg/L
18 Jun 2026 13:40	11.88 m³/h	22.77 m³/h	1.43 mg/L	8.09 pH	4.01 NTU	2 mg/L
18 Jun 2026 13:50	11.32 m³/h	22.97 m³/h	0.41 mg/L	7.52 pH	4.43 NTU	1.99 mg/L
18 Jun 2026 14:00	10.54 m³/h	23.10 m³/h	0.15 mg/L	7.60 pH	3.81 NTU	1.72 mg/L
18 Jun 2026 14:10	10.41 m³/h	23.43 m³/h	0.18 mg/L	7.96 pH	3.36 NTU	1.86 mg/L
18 Jun 2026 14:20	10.89 m³/h	23.17 m³/h	0.25 mg/L	8.08 pH	4.00 NTU	2 mg/L
18 Jun 2026 14:30	10.95 m³/h	23.20 m³/h	0.28 mg/L	7.98 pH	4.19 NTU	2 mg/L
18 Jun 2026 14:40	11.25 m³/h	22.94 m³/h	0.45 mg/L	7.90 pH	4.50 NTU	1.91 mg/L
18 Jun 2026 14:50	11.97 m³/h	23.51 m³/h	0.17 mg/L	7.73 pH	4.35 NTU	2 mg/L
18 Jun 2026 15:00	12.44 m³/h	23.67 m³/h	0.33 mg/L	7.62 pH	4.45 NTU	2 mg/L
18 Jun 2026 15:10	11.90 m³/h	23.58 m³/h	0.71 mg/L	7.54 pH	4.63 NTU	1.94 mg/L
18 Jun 2026 15:20	12.16 m³/h	23.74 m³/h	0.19 mg/L	6.96 pH	4.51 NTU	1.71 mg/L
18 Jun 2026 15:30	11.78 m³/h	23.16 m³/h	0.35 mg/L	7.20 pH	4.68 NTU	1.18 mg/L
18 Jun 2026 15:40	12.44 m³/h	22.94 m³/h	0	7.71 pH	4.24 NTU	0.73 mg/L
18 Jun 2026 15:50	12.85 m³/h	22.90 m³/h	0.09 mg/L	7.23 pH	3.90 NTU	1.25 mg/L
18 Jun 2026 16:00	12.35 m³/h	23.22 m³/h	0.45 mg/L	7.42 pH	3.51 NTU	1.08 mg/L
18 Jun 2026 16:10	12.67 m³/h	23.61 m³/h	0.71 mg/L	7.74 pH	3.13 NTU	1.06 mg/L
18 Jun 2026 16:20	12.82 m³/h	24.22 m³/h	0.51 mg/L	7.56 pH	3.55 NTU	0.85 mg/L
18 Jun 2026 16:30	12.93 m³/h	24.61 m³/h	0.41 mg/L	8.15 pH	3.49 NTU	0.74 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 16:40	13.29 m³/h	24.82 m³/h	0.83 mg/L	8.08 pH	3.47 NTU	0.23 mg/L
18 Jun 2026 16:50	13.55 m³/h	25.37 m³/h	0.33 mg/L	7.23 pH	3.65 NTU	0.69 mg/L
18 Jun 2026 17:00	12.97 m³/h	26.19 m³/h	0.69 mg/L	6.80 pH	3.18 NTU	0.81 mg/L
18 Jun 2026 17:10	12.76 m³/h	25.49 m³/h	0.09 mg/L	6.97 pH	3.67 NTU	0.25 mg/L
18 Jun 2026 17:20	13.18 m³/h	25.71 m³/h	0.19 mg/L	7.44 pH	4.17 NTU	0.24 mg/L
18 Jun 2026 17:30	13.15 m³/h	25.85 m³/h	0.41 mg/L	7.60 pH	4.42 NTU	0.44 mg/L
18 Jun 2026 17:40	13.63 m³/h	26.08 m³/h	0.99 mg/L	7.51 pH	4.46 NTU	0.04 mg/L
18 Jun 2026 17:50	14.29 m³/h	26.77 m³/h	1.70 mg/L	7.39 pH	4.46 NTU	0
18 Jun 2026 18:00	14.53 m³/h	26.97 m³/h	1.64 mg/L	7.98 pH	4.47 NTU	0.33 mg/L
18 Jun 2026 18:10	14.69 m³/h	27.03 m³/h	1.63 mg/L	7.85 pH	3.98 NTU	0.04 mg/L
18 Jun 2026 18:20	14.77 m³/h	27.01 m³/h	1.76 mg/L	8.10 pH	4.33 NTU	0.12 mg/L
18 Jun 2026 18:30	14.80 m³/h	27.02 m³/h	1.29 mg/L	7.42 pH	4.65 NTU	0.19 mg/L
18 Jun 2026 18:40	15.25 m³/h	27.31 m³/h	1.00 mg/L	7.32 pH	3.98 NTU	0.74 mg/L
18 Jun 2026 18:50	14.76 m³/h	28.46 m³/h	0.60 mg/L	6.93 pH	4.10 NTU	0.67 mg/L
18 Jun 2026 19:00	14.72 m³/h	28.20 m³/h	0.23 mg/L	7.51 pH	3.88 NTU	0.70 mg/L
18 Jun 2026 19:10	15.39 m³/h	27.44 m³/h	0.46 mg/L	7.08 pH	4.47 NTU	0.10 mg/L
18 Jun 2026 19:20	15.83 m³/h	27.09 m³/h	0.18 mg/L	6.96 pH	3.99 NTU	0.68 mg/L
18 Jun 2026 19:30	15.80 m³/h	27.96 m³/h	0.14 mg/L	6.83 pH	3.89 NTU	0.79 mg/L
18 Jun 2026 19:40	15.83 m³/h	27.97 m³/h	0.30 mg/L	6.80 pH	3.81 NTU	0
18 Jun 2026 19:50	15.45 m³/h	27.93 m³/h	0.13 mg/L	7.15 pH	4.65 NTU	0.08 mg/L
18 Jun 2026 20:00	15.74 m³/h	26.79 m³/h	0.02 mg/L	7.47 pH	5.70 NTU	0
18 Jun 2026 20:10	15.88 m³/h	26.80 m³/h	0.66 mg/L	8.01 pH	5.18 NTU	0.13 mg/L
18 Jun 2026 20:20	15.91 m³/h	27.27 m³/h	0.01 mg/L	7.23 pH	4.91 NTU	0
18 Jun 2026 20:30	15.61 m³/h	27.00 m³/h	0.11 mg/L	7.28 pH	5.08 NTU	0.28 mg/L
18 Jun 2026 20:40	16.51 m³/h	26.56 m³/h	0.14 mg/L	7.37 pH	4.58 NTU	0.24 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
18 Jun 2026 20:50	16.65 m³/h	26.84 m³/h	1.19 mg/L	8.01 pH	4.98 NTU	0.17 mg/L
18 Jun 2026 21:00	16.47 m³/h	26.65 m³/h	0.95 mg/L	7.84 pH	4.60 NTU	0.54 mg/L
18 Jun 2026 21:10	16.67 m³/h	27.16 m³/h	1.24 mg/L	8.10 pH	5.47 NTU	1.11 mg/L
18 Jun 2026 21:20	16.01 m³/h	26.97 m³/h	0.86 mg/L	7.76 pH	5.78 NTU	1.22 mg/L
18 Jun 2026 21:30	16.42 m³/h	27.59 m³/h	0.67 mg/L	7.64 pH	5.65 NTU	1.69 mg/L
18 Jun 2026 21:40	16.46 m³/h	27.93 m³/h	0.71 mg/L	7.86 pH	5.41 NTU	1.49 mg/L
18 Jun 2026 21:50	16.37 m³/h	28.54 m³/h	1.25 mg/L	7.96 pH	6.03 NTU	1.04 mg/L
18 Jun 2026 22:00	16.49 m³/h	28.11 m³/h	1.34 mg/L	7.81 pH	5.78 NTU	1.00 mg/L
18 Jun 2026 22:10	16.50 m³/h	28.35 m³/h	0.97 mg/L	7.93 pH	6.12 NTU	0.76 mg/L
18 Jun 2026 22:20	16.24 m³/h	28.46 m³/h	0.82 mg/L	7.71 pH	6.64 NTU	1.57 mg/L
18 Jun 2026 22:30	16.88 m³/h	29.19 m³/h	1.16 mg/L	8.01 pH	7.39 NTU	1.93 mg/L
18 Jun 2026 22:40	16.20 m³/h	29.20 m³/h	0.68 mg/L	8.41 pH	7.03 NTU	1.72 mg/L
18 Jun 2026 22:50	15.99 m³/h	29.07 m³/h	1.08 mg/L	7.99 pH	7.07 NTU	1.70 mg/L
18 Jun 2026 23:00	16.02 m³/h	28.87 m³/h	1.08 mg/L	8.32 pH	7.17 NTU	1.83 mg/L
18 Jun 2026 23:10	15.52 m³/h	29.03 m³/h	1.05 mg/L	8.27 pH	6.92 NTU	1.58 mg/L
18 Jun 2026 23:20	15.57 m³/h	28.33 m³/h	1.52 mg/L	8.17 pH	7.39 NTU	1.92 mg/L
18 Jun 2026 23:30	15.27 m³/h	28.46 m³/h	1.36 mg/L	8.04 pH	7.06 NTU	1.64 mg/L
18 Jun 2026 23:40	14.89 m³/h	27.92 m³/h	0.96 mg/L	8.29 pH	6.31 NTU	1.54 mg/L
18 Jun 2026 23:50	15.21 m³/h	28.41 m³/h	1.09 mg/L	8.20 pH	6.28 NTU	1.80 mg/L
19 Jun 2026 00:00	15.39 m³/h	28.87 m³/h	1.27 mg/L	8.37 pH	6.39 NTU	0.94 mg/L
19 Jun 2026 00:10	15.61 m³/h	28.34 m³/h	1.32 mg/L	8.14 pH	6.73 NTU	0.84 mg/L
19 Jun 2026 00:20	15.37 m³/h	27.69 m³/h	1.55 mg/L	7.80 pH	7.55 NTU	0.54 mg/L
19 Jun 2026 00:30	15.11 m³/h	27.82 m³/h	0.40 mg/L	6.64 pH	8.09 NTU	0.31 mg/L
19 Jun 2026 00:40	15.24 m³/h	27.66 m³/h	0.64 mg/L	6.87 pH	7.67 NTU	0.04 mg/L
19 Jun 2026 00:50	15.64 m³/h	27.80 m³/h	0.92 mg/L	6.79 pH	8.16 NTU	0.03 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
19 Jun 2026 01:00	15.81 m³/h	27.11 m³/h	0.82 mg/L	6.82 pH	8.40 NTU	0.32 mg/L
19 Jun 2026 01:10	16.76 m³/h	27.31 m³/h	0.92 mg/L	6.62 pH	8.11 NTU	0.01 mg/L
19 Jun 2026 01:20	16.68 m³/h	27.13 m³/h	0.98 mg/L	6.79 pH	7.63 NTU	0
19 Jun 2026 01:30	15.93 m³/h	26.87 m³/h	0.82 mg/L	7.01 pH	7.07 NTU	0.28 mg/L
19 Jun 2026 01:40	15.52 m³/h	27.13 m³/h	1.04 mg/L	6.90 pH	6.66 NTU	0.44 mg/L
19 Jun 2026 01:50	15.82 m³/h	27.19 m³/h	1.45 mg/L	7.26 pH	7.03 NTU	0.49 mg/L
19 Jun 2026 02:00	15.91 m³/h	27.11 m³/h	1.51 mg/L	7.32 pH	7.73 NTU	0.41 mg/L
19 Jun 2026 02:10	15.99 m³/h	26.96 m³/h	1.46 mg/L	7.21 pH	7.37 NTU	0
19 Jun 2026 02:20	16.21 m³/h	26.72 m³/h	0.99 mg/L	7.31 pH	7.28 NTU	0.17 mg/L
19 Jun 2026 02:30	16.27 m³/h	26.53 m³/h	0.99 mg/L	7.23 pH	7.50 NTU	0
19 Jun 2026 02:40	15.89 m³/h	26.58 m³/h	0.78 mg/L	7.77 pH	7.29 NTU	0.39 mg/L
19 Jun 2026 02:50	16.14 m³/h	26.35 m³/h	0.23 mg/L	8.08 pH	7.22 NTU	0.13 mg/L
19 Jun 2026 03:00	16.22 m³/h	26.82 m³/h	0	8.32 pH	7.50 NTU	0.69 mg/L
19 Jun 2026 03:10	16.01 m³/h	26.98 m³/h	0.06 mg/L	8.30 pH	7.85 NTU	0.44 mg/L
19 Jun 2026 03:20	16.11 m³/h	26.03 m³/h	0.36 mg/L	8.27 pH	8.02 NTU	0.64 mg/L
19 Jun 2026 03:30	16.10 m³/h	26.16 m³/h	0.03 mg/L	8.06 pH	7.93 NTU	0.88 mg/L
19 Jun 2026 03:40	16.12 m³/h	26.18 m³/h	0.05 mg/L	7.41 pH	8.17 NTU	0.89 mg/L
19 Jun 2026 03:50	16.62 m³/h	25.76 m³/h	0.21 mg/L	6.96 pH	7.97 NTU	0.54 mg/L
19 Jun 2026 04:00	17.19 m³/h	25.90 m³/h	0.14 mg/L	6.87 pH	8.01 NTU	0.26 mg/L
19 Jun 2026 04:10	17.47 m³/h	24.99 m³/h	0.09 mg/L	6.88 pH	8.15 NTU	0.13 mg/L
19 Jun 2026 04:20	17.90 m³/h	24.49 m³/h	0	7.15 pH	8.39 NTU	0.65 mg/L
19 Jun 2026 04:31	18.10 m³/h	24.38 m³/h	0.15 mg/L	6.98 pH	8.28 NTU	0.96 mg/L
19 Jun 2026 04:41	18.17 m³/h	24.44 m³/h	0.04 mg/L	6.60 pH	8.16 NTU	0.78 mg/L
19 Jun 2026 04:51	18.11 m³/h	24.77 m³/h	0.40 mg/L	6.56 pH	8.36 NTU	0.74 mg/L
19 Jun 2026 05:01	18.00 m³/h	24.66 m³/h	0.68 mg/L	7.43 pH	8.33 NTU	0.56 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
19 Jun 2026 05:11	17.14 m³/h	24.42 m³/h	0.59 mg/L	7.41 pH	8.62 NTU	0.13 mg/L
19 Jun 2026 05:21	17.01 m³/h	24.18 m³/h	1.08 mg/L	7.58 pH	8.09 NTU	0.24 mg/L
19 Jun 2026 05:31	16.76 m³/h	24.43 m³/h	1.21 mg/L	7.30 pH	8.12 NTU	0.43 mg/L
19 Jun 2026 05:41	17.45 m³/h	24.01 m³/h	1.09 mg/L	6.92 pH	8.48 NTU	0.62 mg/L
19 Jun 2026 05:51	17.86 m³/h	24.55 m³/h	1.16 mg/L	7.00 pH	8.39 NTU	0.17 mg/L
19 Jun 2026 06:01	17.33 m³/h	24.57 m³/h	1.50 mg/L	7.37 pH	8.32 NTU	0.42 mg/L
19 Jun 2026 06:11	17.40 m³/h	24.87 m³/h	1.71 mg/L	6.5 pH	7.58 NTU	0.00 mg/L
19 Jun 2026 06:21	17.63 m³/h	25.12 m³/h	1.18 mg/L	6.75 pH	8.20 NTU	0.10 mg/L
19 Jun 2026 06:31	17.80 m³/h	25.54 m³/h	1.14 mg/L	7.09 pH	8.67 NTU	0.39 mg/L
19 Jun 2026 06:41	17.99 m³/h	25.93 m³/h	1.08 mg/L	6.97 pH	8.92 NTU	0.65 mg/L
19 Jun 2026 06:51	18.85 m³/h	26.24 m³/h	0.97 mg/L	7.78 pH	8.74 NTU	0.44 mg/L
19 Jun 2026 07:01	18.15 m³/h	25.30 m³/h	1.05 mg/L	7.83 pH	8.41 NTU	0.94 mg/L
19 Jun 2026 07:11	18.33 m³/h	25.19 m³/h	0.72 mg/L	7.10 pH	9.31 NTU	1.08 mg/L
19 Jun 2026 07:21	18.26 m³/h	25.41 m³/h	0.84 mg/L	7.10 pH	9.78 NTU	1.18 mg/L
19 Jun 2026 07:31	18.59 m³/h	25.95 m³/h	0.61 mg/L	7.51 pH	9.09 NTU	0.71 mg/L
19 Jun 2026 07:41	18.33 m³/h	25.18 m³/h	0.39 mg/L	7.84 pH	9.31 NTU	1.06 mg/L
19 Jun 2026 07:51	18.55 m³/h	25.57 m³/h	1.17 mg/L	7.48 pH	9.42 NTU	0.42 mg/L
19 Jun 2026 08:01	18.63 m³/h	25.84 m³/h	0.73 mg/L	8.01 pH	9.17 NTU	0.07 mg/L
19 Jun 2026 08:11	19.42 m³/h	25.78 m³/h	0.35 mg/L	7.64 pH	8.63 NTU	0.77 mg/L
19 Jun 2026 08:21	20.32 m³/h	25.88 m³/h	0.45 mg/L	7.93 pH	8.31 NTU	0.81 mg/L
19 Jun 2026 08:31	19.86 m³/h	26.04 m³/h	0.01 mg/L	8.33 pH	8.36 NTU	0.40 mg/L
19 Jun 2026 08:41	20.12 m³/h	26.30 m³/h	0.22 mg/L	8.17 pH	8.35 NTU	0.29 mg/L
19 Jun 2026 08:51	19.58 m³/h	26.18 m³/h	0.80 mg/L	8.41 pH	8.98 NTU	0.17 mg/L
19 Jun 2026 09:01	19.52 m³/h	26.00 m³/h	0.38 mg/L	7.44 pH	8.54 NTU	0.24 mg/L
19 Jun 2026 09:11	19.61 m³/h	26.54 m³/h	1.09 mg/L	7.31 pH	8.54 NTU	0.15 mg/L

Timestamp	Inlet Flow	Outlet Flow	AER DO	Treated PH	Turbidity	Chlorine Residual
19 Jun 2026 09:21	19.98 m³/h	26.60 m³/h	1.70 mg/L	6.59 pH	8.79 NTU	0.03 mg/L
19 Jun 2026 09:31	20.37 m³/h	26.63 m³/h	1.15 mg/L	7.14 pH	8.83 NTU	0.16 mg/L
19 Jun 2026 09:41	20.17 m³/h	27.08 m³/h	1.70 mg/L	6.65 pH	9.01 NTU	0.28 mg/L
19 Jun 2026 09:51	20.24 m³/h	27.72 m³/h	1.83 mg/L	7.09 pH	9.69 NTU	0.35 mg/L
19 Jun 2026 10:01	20.14 m³/h	27.28 m³/h	1.86 mg/L	7.99 pH	9.54 NTU	0.00 mg/L
19 Jun 2026 10:11	20.23 m³/h	27.46 m³/h	1.47 mg/L	7.83 pH	9.60 NTU	0.16 mg/L
19 Jun 2026 10:21	19.86 m³/h	27.22 m³/h	1.90 mg/L	7.77 pH	9.77 NTU	0.43 mg/L
19 Jun 2026 10:31	19.92 m³/h	27.18 m³/h	2.36 mg/L	7.85 pH	10 NTU	0.44 mg/L
19 Jun 2026 10:41	19.65 m³/h	27.64 m³/h	1.77 mg/L	7.80 pH	9.85 NTU	0.13 mg/L
19 Jun 2026 10:51	19.48 m³/h	27.44 m³/h	2.13 mg/L	7.54 pH	9.54 NTU	0.19 mg/L
19 Jun 2026 11:01	19.94 m³/h	27.57 m³/h	2.53 mg/L	6.94 pH	9.51 NTU	0